



NTK BEARING PRECISION AXLE CORP.



MSM155BXHFATL Bearing 2D drawings and 3D CAD models

TIMKEN MSM155BXHFATL Flange Block Bearings

Bearing No. MSM155BXHFATL

Category	Flange Block Bearings
Inventory	0.0
Manufacturer Name	TIMKEN
Minimum Buy Quantity	N/A
Weight	135.78
EAN	0013992046376
Product Group	B04144
Number of Mounting Holes	4
Mounting Method	Clamp Collar
Housing Style	4 Bolt Round Flange Block
Rolling Element	Cylindrical Roller Bearing
Housing Material	Cast Iron
Expansion / Non-expansion	Expansion
Mounting Bolts	24 Millimeter
Relubricatable	Yes
Insert Part Number	MSM155BX
Seals	Triple Lip Labyrinth
Housing Configuration	2 Piece Split
Pilot Configuration	No Pilot
Inch - Metric	Metric
Long Description	4 Bolt Round Flange Block; 155MM Bore; 466MM Bolt Circle; 2 Piece Split; Clamp Collar Mount; Cast Iron; Cylindrical Roller Bearing; 123.8MM Length Thru Bore; 329.5MM Bolt Spacing; Relubricatable;



NTK BEARING PRECISION AXLE CORP.

	Trip
Other Features	Single Row Wide Inner Ring Medium Duty
Category	Flange Block Bearings
UNSPSC	31171501
Harmonized Tariff Code	8483.20.40.80
Noun	Bearing
Keyword String	Flanged
Manufacturer URL	http://www.timken.com
Weight / LBS	299.07
Nominal Bolt Circle Diameter Round	18.3 Inch 466 Millimeter
D	4.874 Inch 123.8 Millimeter
Cartridge Pilot Depth	0 Inch 0 Millimeter
Bolt Spacing	13 Inch 329.5 Millimeter
d	6.102 Inch 155 Millimeter
Cartridge Pilot Diameter	0 Inch 0 Millimeter
Shaft Size	155 mm
Seal Type	Aluminium Triple Labyrinth
Bearing Type	Split Cylindrical Expansion Type
Support Type	Round Flange
Series Type	Medium Series
Bolt Size	4 x M24
Bearing - Housing - Seal	MSM155BXHATL
Bearing - Housing - Seal UPC	013992057969
Bearing UPC	013992033949
Dimension T	21.0 in
Dimension R	18.3 in
Dimension P	1.0 in
Dimension H	4.9 in



NTK BEARING PRECISION AXLE CORP.

Dimension N	15.500 in
Dimension V	0.1 in
Dimension L	8.9 in
Cr - Dynamic Load Rating	164111 lbf
Cor - Static Load Rating	232453 lbf
Maximum Speed	1320 rpm
Note	This product line was formerly known as "Revolvo"